

12. Heimildir

- Aarhus, I.J., Høy, E., Fredheim, A. & Winter, U. 2011. Kartlegging av ulike teknologiske løsninger for å møte de miljømessige utfordringene i havbruksnæringen. SINTEF Fiskeri og havbruk. Rapport nr. F18718. 38 sider + vedlegg.
- Aas-Hansen, Ø., Stien, L.H., Gytte, T., Tennøy, T., Bjørnsen, J.E., Evensen, T.H., Sæther, B.S., Damsgård, B., Brataas, R., Finne, D., Koren, C., Alfredsen, J.A., Rikardsen, A.H. & Kristiansen, T.S. 2010. Ny teknologi for overvåking av oppdrettsmiljø og fiskevelferd i oppdrettsmerder. Sluttrapport for FHF prosjekt 900085. Rapport 3/2010.
- Aas, T.S., Oehme, M., Sørensen, M., He, G., Lygren, I. & Åsgård, T. 2011a. Analysis of pellet degradation of extruded high energy fish feeds with different physical qualities in a pneumatic feeding system. *Aquacultural Engineering* 44: 25–34.
- Aas, T.S., Oehme, M., Sørensen, M., Lygren, I. & Åsgård, T.E. 2011b. Spreading of feed pellets in a sea cage for salmon farming using an automatic rotor spreader feeding system. A CREATE project. Report 45/2011. 24 s.
- Acker, T., Burczynski, J., Hedgepeth, J. & Ebrahim, A. 2002. Digital Scanning Sonar for Fish Feeding Monitoring. http://www.biosonicsinc.com/search_doc.cfm?step=3&did=21
- Ahmad, T. & Boyd, C. 1988. Design and performance of paddle wheel aerators. *Aquaculture Engineering* 7: 39–62.
- Alanärä, A. & Brännäs, E. 1996. Dominance in demand-feeding behaviour in Arctic charr and rainbow trout: the effect of stocking density. *Journal of Fish Biology* 48(2): 242–254.
- Alanärä, A. & Brännäs, E. 1997. Diurnal and nocturnal feeding activity in Arctic char and rainbow trout. *Can. J. Fish. Aqu. Sci.* 54: 2894–2900.
- Alanärä, A. & Kiessling, A. 1996. Changes in demand feeding behaviour in Arctic charr, *Salvelinus alpinus* L., caused by differences in dietary energy content and reward level. *Aquaculture Research* 27(7): 479–486.
- Ali, M.A., Klyne, M.A. & Einarsson, G. 1984. Ecophysiological adaptations of the retina of Arctic char. In: *Biology of the Arctic Charr* (Eds. L. Johnson and B.L. Burns), pp. 251–261. University of Manitoba Press, Winnipeg.
- Ang, K.P. & Petrell, R. J. 1997. Control of feed dispensation in sea cages using underwater video monitoring: effects on growth and food conversion. *Aquacultural Engineering* 16: 45–62.
- Anon. 1994. Rappportsammendrag. Forskningsprogrammet lukkede produksjonsanlegg på land og i sjø. Norges forskningsråd.
- Anon. 1998. Idaho waste management guidelines for aquaculture operations. Idaho Department of Health and Welfare, Division of Environmental Quality, Twin Falls, ID. 80 p.
- Anon. 2006. Compliance guide for the concentrated aquatic animal production point source category. United States Environmental Protection Agency.
- Anon. 2011. Vedlegg. Konsesjonssøknad for oppdrett av ørret. Aquaponics AS. Evje. Prosjektrapport Evje Akvapark.
- Anon. 2008a. Global assessment of closed system aquaculture. Prepared for: The David Suzuki Foundation & The Georgia Strait Alliance on behalf of the Coastal Alliance for Aquaculture Reform. 79 p.
- Anon. 2008b. Master management system – Driftorienteringer. Dansk Akvakultur.
- Anon. 2008c. Drift og fiskesykdomme I modeldambrug. Master management system. Dansk akvakultur. 43 s.
- Anon. 2008d. Global assesment of closed system aquaculture. Prepared for: The David Suzuki Foundation & The Georgia Strait Alliance. On behalf of the Coastal Alliance for Aquaculture Reform. 79 p.
- Anon. 2010a. Feasibility assessment of freshwater Arctic charr & rainbow trout grow-out in New Brunswick. ReThink Inc. and Canadian Aquaculture Systems Inc. 104 p.
- Anon. 2010b. Utredning: For stor merd eller for mange fisk? Fiskeridirektoratets og Mattilsynets anbefalinger. 59 s. www.fiskeridir.no/akvakultur/hoeringer/utkast-til-forskrift-om-endering-i-forskrift-om-drift-av-akvakulturanlegg
- Anon. 2011. Canadian aquaculture. R&D review 2011. *Aquaculture Association of Canada Special Publication* 16:1–89.
- Anon. 2012. New Brunswick Rainbow Trout Aquaculture Policy. Department of Agriculture and Aquaculture. 14 p. Sótt 25. apríl 2012 á slóðina: <http://www.gnb.ca/0168/Trout.pdf>
- Aquaetreat 2007. Manual on effluent treatment in aquaculture: Science and practice. AquaEtrete - Improvement and innovation of aquaculture effluent treatment technology. 162 p.
- Bahuaud, F., Morkore, T., Ostbye, T.K., Veiseth-Kent, E., Thomassen, M.S. & Ofstad, R. 2010. Muscle structure responses and lysosomal cathepsins B and L in farmed Atlantic salmon (*Salmo salar* L.) pre- and post-rigor fillets exposed to short and long-term crowding stress. *Food Chemistry* 118: 602–615.
- Bakkeli, G., Aunsmo, A. & Skjelstad, B. 2001. Smittoverføring via avløp – Kan det skje? *Norsk fiskeoppdrett* 26(8): 36–37.
- Bart, A.N., Clark, J., Young, J. & Zohar, Y. 2001. Underwater ambient noise measurements in aquaculture systems: a survey. *Aquacultural Engineering* 25: 99–110.
- Baular, A. & Bagatur, T. 2000. Aeration performance of weirs. *Water SA* 26(4): 521–526.
- Bergheim, S.J., Cripps, S.J. & H. Liltved, H. 1998. A system for the treatment of sludge from land-based fish-farms. *Aquat. Living Resour.* 11(4): 279–287.
- Bird, C. & Cassels, G.A. 2001. Aeration: the Facts. *Aqua info* nr. 20. (www.fish.wa.gov.au/docs/aq/index.php?0308).
- Björgvin Richards 1993. Rannsóknasjóður. Fiskeldisrannsóknir 1985–1991. Rannsóknaráð ríkisins. Óbirt handrit.
- Bjørndal, T., Øiestad, V. & Imsland, A. 2011. Utvikling av ein ny oppdrettsart: Produksjonsteknologi og marknader for piggvar. *Norsk fiskeoppdrett* 36(8): 16–20.
- Boge, E. 1986. Åpne gjennomstrømssystemer. Streamline systemer. NITO konferanse 27. – 28. Februar 1986. Landbasert oppdrettsanlegg og lukkede sjøanlegg.
- Boulet, D., Struthers, A. & Gilbert, É. 2010. Feasibility study of closed-containment options for the British Columbia Aquaculture Industry. Innovion & sectors strategies

- Aquaculture Management Directorate Fisheries & Ocean Canada. 51 p.
- Boyd, C. E. 1995. Deep water installation of a diffused-air aeration system in a shallow pond. *Journal of Applied Aquaculture* 5(1): 1-10.
- Boyd, C. E. 1998. Pond water aeration systems. *Aquaculture Engineering* 18: 9-40.
- Boyd, C. E. & Moore, J.M. 1993. Factors Affecting the Performance of Diffused-Air Aeration Systems for Aquaculture. *Journal of Applied Aquaculture* 2(2):1-12.
- Boyd, C.E. & Martinson, D.J. 1984. Evaluation of propeller-aspirator-pump aerators. *Aquaculture* 36 (3): 283-292.
- Brännäs, E. & Linnér, J., 2000. Growth effects in Arctic charr reared in cold water: Feed frequency, access to bottom feeding and stocking density. *Aquaculture International* 8: 381-389.
- Brännäs, R., Alanärä, A. & Eriksson, L.-O. 2005. Time learning and anticipatory activity in groups of Arctic charr. *Ecology* 111: 681-692.
- Brinker, A. & Rösch, R. 2005. Factors determining the size of suspended solids in a flow-through fish farm. *Aquacultural Engineering* 33(1): 1-19
- Brinker, A., Koppe, W. & Rösch, R., 2005. Optimised effluent treatment by stabilised trout faeces. *Aquaculture* 249: 125-144
- Burley, R. & Klapsis, A., 1988. Making the most of your flow (in fish rearing tanks). *IchemE Symposium Series* No. 111: 211-223.
- Burrows, R.E. & Chenoweth, H.H. 1970. The rectangular circulating pond. *The Progressive Fish-Culturist* 32(2): 97-80.
- Cancino, B. 2004. Design of high efficient surface aerators. Part 2. Rating of surface areator rotors. *Aquacultural Engineering* 31: 99-115.
- Canadian Aquaculture Systems 2007. Canadian Experimental Aqua-Farm. Conceptualization Workshop Summary. Submitted to: Inter-Provincial Partnership for Sustainable Freshwater Aquaculture Development. 21 p.
- Canadian Aquaculture Systems 2008. Canadian Model Aqua-Farm Initiative. Technical and operational assesment for the Canadian Model Aqua-Farm. Canadian Aquaculture Systems 39 p.
- Chen, S., Coffin, F.E. & Malone, R.F. 1997. Sludge production and management for recirculating aquacultural systems. *Journal of the World Aquaculture Society* 28(4): 303-315.
- Chen, Y.S., Beveridge, M.C.M. & Telfer, T.C. 1999. Settling rate characteristics and nutrient content of the faeces of Atlantic salmon, *Salmo salar* L., and the implications for modelling of solid waste dispersion. *Aquaculture Research* 30: 395-398.
- Clark, M.L. 2003. Comparison of water quality, rainbow trout production and economics in oxygenated and aerated raceways. Thesis submitted to the faculty of the Virginia Polytechnic Institute and State University in partial fulfillment of the requirements prescribed for the degree of Master of Science in Fisheries and Wildlife Sciences.
- Clingerman, J., Bebak, J., Mazik, P.M. & Summerfelt, S.T. 2007. Use of avoidance response by rainbow trout to carbon dioxide for fish self-transfer between tanks. *Aquacultural Engineering* 37, 234-251.
- Colt, J. 2000a. Aeration systems. pp. 7-17. In, Stickney, R.R. (eds.) Encyclopedia of aquaculture. John Wiley & Sons Inc.
- Colt, J. 2000b. Pure oxygen systems. pp. 705-712. In, Stickney, R.R. (eds.) Encyclopedia of aquaculture. John Wiley & Sons Inc.
- Colt, J. & Bouck, G. 1984. Design of packed columns for degassing. *Aquacultural Engineering* 3: 251-273.
- Colt, J. & Watten, B. 1988. Applications of pure oxygen in fish culture. *Aquacultural Engineering* 7: 397-441.
- Confer, J.L., Howick, G.L., Corsette, M.H., Kramer, S.L., Fitzgibbon, S. & Landesberg, R. 1978. Visual predation by planktivores. *Oikos* 31: 27-37.
- Conti, S.G., Roux, P., Fauvel, C., Maurer, B.D. & Demer, D.A. 2006. Acoustical monitoring of fish density, behavior, and growth rate in a tank. *Aquaculture* 251: 314-323.
- Costa, C., Loy, A., Cataudella, S., Davis, D. & Scardi, M. 2006. Extracting fish size using dual underwater cameras. *Aquacultural Engineering* 35: 218-227.
- Couturier, M., Trofimencoff, T., Buil, J.U. & Conroy, J. 2009. Solids removal at a recirculating salmon-smolt farm. *Aquacultural Engineering* 41:71-77.
- Cripps, S.J. & Poxton, M.G., 1992. A review of the design and performance of tanks relevant to flatfish culture. *Aquacultural Engineering* 11: 71-91.
- Cripps, S.J. & Bergheim, A. 2000. Solids management and removal for intensive land-based aquaculture production systems. *Aquacultural Engineering* 22: 33-56.
- Davidson, J. & Summerfelt, S.T. 2004. Solids flushing, mixing, and water velocity profiles within large (10 m³ and 150 m³) circular 'Cornell-type' dual-drain tanks used for salmonid culture. *Aquacultural Engineering* 3: 245-271.
- Davidson, J. & Summerfelt, S.T. 2005. Solids removal from a coldwater recirculating system—comparison of a swirl separator and a radial-flow settler. *Aquacultural Engineering* 33(1): 47-61.
- Davidson, J., Bebak, J.U. & Mazik, P. 2007a. The effects of aquaculture production noise on the growth, condition factor, feed conversion, and survival of rainbow trout, *Oncorhynchus mykiss*. *Aquaculture* 288: 337-343.
- Davidson, J., Frankel, A.S., Ellison, W.T., Summerfelt, S.T., Popper, A.N., Mazik, P. & Bebak, J. 2007b. Minimizing noise in fiberglass aquaculture tanks: noise reduction potential of various retrofits. *Aquacultural Engineering* 37: 125-131.
- Davison, W. 1989. Training and its effects on teleost fish. *Comparative Biochemistry and Physiology* 94A: 1-10.
- Despres, B. & Couturier, M. 2006. Velocity profiles in multi-drain circular tanks. *AAC Spec. Publ.* No. 12: 73-75.
- Duarte, S., Reig, L., Masaló, I., Blanco, M. & Oca, J. 2011. Influence of tank geometry and flow pattern in fish distribution. *Aquacultural Engineering* 44: 48-54.
- Dunn, Z. 2008. Improved feed utilization in cage aquaculture by use of machine vision. Master of Science in Engineering in the Department of Process Engineering at Stellenbosch University.
- Eatherley, D.M.R., Thorley, J.L., Stephen, A.B., Simpson, I., MacLean, J.C. & Youngson, A.F. 2005. Trends in Atlantic salmon: the role of automatic fish counter data in their recording. Scottish Natural Heritage Commissioned Report No. 100 (ROAME No. F01NB02).
- Ebeling, J.M. & Vinci, B. 2011. Solids capture. Recirculating Aquaculture Systems Short Course. <http://ag.arizona.edu/azaqua/ista/ISTA7/RecircWorkshop/Workshop%20PP%20%20&%20Misc%20Papers%20Adobe%202006/5%20Solids%20Capture/Solids%20Control.pdf>
- Eðvald Ingólfsson 1988. Baráttusaga athafnamanns – Endurminningar Skúla Pálssonar á Laxalóni. Æskan. 186 bls.
- Eirikson, U. & Rosten, T. 1997. Kvalitetsevaluering av pumping og háving av slaktelaks til brønnbåt. KPMG i samarbeid med Flatsetsund Slipp og Domstein Salmon. 17 s.
- Einen, O. & Mørkøre, T. 1997. Føringelære for akvakultur. Landbruksforlaget. 235 s.
- Elberizon I.R. & Kelly L.A. 1998. Empirical measurements of parameters critical to modelling benthic impacts of freshwater

- salmonid cage aquaculture. *Aquaculture Research* **29**: 669–677.
- Elliot, J.M. 2011. A comparative study of the relationship between light intensity and feeding ability in brown trout (*Salmo trutta*) and Arctic charr (*Salvelinus alpinus*). *Freshwater Biology* **56** (10): 1962–1972.
- Engle, C. R., Pomerleau, S., Fornshell, G., Hinshaw, J.M., Sloan, D. & Thompson, S. 2005. The economic impact of proposed effluent treatment options for production of trout *Oncorhynchus mykiss* in flow-through systems. *Aquacultural Engineering* **32**: 303–323.
- Erlendur Jónsson 1993. Strand- og skiptiöldi á laxi. Rannsóknarráð ríkisins *RIT* 1993:2. 61 bls.
- Erlendur Jónsson 1997. Strandeldi. Vatnsnotkun og viðmiðunarmörk eldisumhverfi – Vöktun og skráning. Skýrsla til Tæknisjóðs, RANNÍS.
- Erlendur Jónsson 1999. Endurnotkun vatns og varma í marfiskeldi lúðueldi. Strandeldisverkefnið. Áfangaskýrsla til Tæknisjóðs RANNÍS. 15 bls.
- Erlendur Jónsson, Snæbjörn Kristjánsson og Ragnhildur I. Guðmundsdóttir 2003. Skýrsla um styrkveitingar Tæknisjóðs 1995–2003. Rannsóknarráð Íslands.
- Fast, A., Tan, E., Stevens, D., Oslon, J., Qin, J. & Barclay, D. 1999. Paddlewheel aerator oxygen transfer efficiencies at three salinities. *Aquacultural Engineering* **19** (2): 99–103.
- Finstad, B., Nilsen, K.J. & Arnesen, A.M. 1989. Sesasonal changes in sea-water tolerance of arctic charr (*Salvelinus alpinus*). *Journal of Comparative Physiology B* **159**: 371–378.
- Firestone 2011. EPDM geomembranes for aquaculture. Slóð: <http://fishdata.siu.edu/cool10/cool5.pdf>
- Fiskeldishópur AVS 2006. Stefnunótun í íslensku bleikjueldi. Gefið út af Fiskeldishópi AVS. 7 bls. (www.sjavarutvegur.is/fisk/pdf/stefn-bleikja.pdf).
- Fiskeri- og kystdepartementet 2011. Effektiv og bærekraftig arealbruk i havbruksnæringen – areal til begjær. Rapport fra et ekspertutvalg oppnefnt av Fiskeri- og kystdepartementet. 187 s.
- Flor, H.C. 1989. Fiskeoppdrett I rør. *Norsk fiskeoppdrett* **14**(4): 53–54.
- Fornshell, G. 2001. Settling basin design. Western Regional Aquaculture Center Publication nr. 106. 6 p.
- Frantzen, M., Arnesen, A.M., Damsgard, B., Tveiten, H. & Johnson H.K. 2004. Effects of photoperiod on sex steroids and gonad maturation in Arctic charr. *Aquaculture* **240** (1–4): 561–574.
- Garðar R. Árnason 2001. Ræktun grænmetis í vikri. Bændablaðið **7**(10): 20. Slóð: <http://saga.bondi.is/wpp/almhand.nsf/id/F77F71F195B3470200256A5C00302DB4>
- Gebauer, R., Eggen, G., Hansen, E. & Eikerbrokk, B. 1992. Oppdrettsteknologi. Vannkvalitet og vannbehandling i lukkede oppdrettsanlegg. Tapir forlag. 576 sider.
- Gillet, C. 1991. Egg production in Arctic charr (*Salvelinus alpinus* L.) brood stock: effects of temperature on the timing of spawning and the quality of eggs. *Aquatic Living Resources* **4**: 109–116.
- Gorrie, W. 2001. Grading and handling around the hatchery. Part 3: High volume fish pumps. *Hatchery International* May/June. pp.36–37.
- Graham, K. 2005. Aquaculture plumbing. The arteries and veins of your facility. *Hatchery International* July/august: 26–28.
- Gréve, H. van S. & Martens, T. 2010. Research on growth of Arctic Charr and water quality in water re-use systems at different water exchange rates. Hólar University College. 18 p.
- Grímur Kjartansson o.fl. 1995. Land-based fish farm. Project 5: Control of tank environment. Iðntæknistofnun. Final report. 45 p.
- Grydeland, O. 2011. Stort press for lukkede oppdrettsanlegg i Canada. *Norsk fiskeoppdrett* **36**(4): 30–33.
- Guðmundur Halldórsson & Kristján Ottósson (ritstj.) 1989. Lagnir í fiskeldi. *Lagnafréttir* **7**: 1–69.
- Guðmundur Örn Ingólfsson 1999. Eldi á barra í Máka. Ráðstefna um framtíðarsýn og stefnumótun í íslensku fiskeldi. Haldið af Landsambandi fiskeldis- og hafbeitarstöðva, Stofnfiski hf. og Vaka- DNG hf.
- Gulseth O.A., Steen, K. & Nilssen, K.J. 2001. Seawater tolerance in captive high-Arctic Svalbard charr (*Salvelinus alpinus*): effect of photoperiod and bod size. *Polar Biology* **24**: 276–281.
- Gutscher, M., Wysocki, L.E. & Ladich, F. 2011. Effects of aquarium and pond noise on hearing sensitivity in an otophysine fish. *The International Journal of Animal Sound and its Recording* **20**: 117–136.
- Guttvik, A. & Hoel, E. 2006. Bruk av brønnbåt i Norsk Oppdrettsnæring – Hvordan redusere risiko for smittespredning? *VESO Rapport* 2006–4. 40 s.
- Hackney, G.E. & Colt, J.E. 1982. The performance and design of packed column aeration systems for aquaculture. *Aquacultural Engineering* **1**: 275–295.
- Han J., Honda, N., Asada A. & Shibata, K. 2009. Automated Acoustic Method for Farmed Fish Counting and Sizing during Its Transfer Using DIDSON. Sixth International Symposium on Underwater Technology UT2009, Wuxi, China, April 2009.
- Heasman, M.S. & Black, K.D. 1998. The potential of Arctic charr, *Salvelinus alpinus* (L.), for mariculture. *Aquaculture Research* **29**: 67–76.
- Helgi Helgason 1988. Möguleikar á notkun PVC-dúka við gerð eldiskerja. *Eldisfréttir* **4**(4):23.
- Helgi Thorarensen 2006. Möguleikar á fiskeldi í ferskvatni á Íslandi. Fræðaging landbúnaðarins 2006. Bls. 86–89.
- Helgi Thorarensen & Ragnar Jóhannsson 1999. Margföldum framleiðni með þaulnýtingu vatns til fiskeldis. *Eldisfréttir* október bls. 13–14, 18.
- Helgi Thorarensen & Farrell, A.P. 2011. Review: The biological requirements for post-smolt Atlantic salmon in closed-containment systems. *Aquaculture* **312**:1–14.
- Helgi Thorarensen, Theodór Kristjánsson & Sigurður St. Helgason 1999. Áfangaskýrsla fyrir verkefnið: Vöxtur og þríf fiska í vatnsendurnotkunarkerfum. Skýrsla til RANNÍS. 30 bls.
- Helgi Thorarensen, Gústavsson, A., Mallya, Y., Gunnarsson, S., Arnason, J., Arnarson, I., Jónsson, A., Smáradótti, H., Zoega, G.Th. & Imsland, A.K. 2010. The effect of oxygen saturation on the growth and feed conversion of Atlantic halibut (*Hippoglossus hippoglossus* L.). *Aquaculture* **309**: 96–102.
- Helgi Thorarensen, Arnþór Gústavsson, Hlífur Karlsson, Ólafur Ingi Sigurgeirsson 2011. Vöxtur bleikjueldi á Íslandi. Fræðaging landbúnaðarins 2011. bls. 305–308.
- Helland, S.J., Grisdale-Helland, B. & Nerland, S. 1996. A simple method for the measurement of daily feed intake of groups of fish in tanks. *Aquaculture* **139**: 157–163.
- Hem, L., Skybakmoen, S. & Tvinnereim, K. 1987. Strømningsteknisk utpøving av fiskeoppdrettkar. NHL Sintef Grubben. STF60 A87019.
- Henriksen, N.H., Michelsen, K. & Plesner, L.J. 2008. Drift og fiskesygdomme i modeldambrug. Master Management System. Projektet er støttet af Fødevareministeriet og EU gennem FIUF programmet Juni 2008. Dansk Akvakultur. 43 s.
- Hermann Kristjánsson 1991. Mat á lífmassa í fiskeldi. *Eldisfréttir* **7** (1): 30–32.
- Heydarnejad, M. S., Parto, M. & Pilevarian A.A. 2011. Influence of light colours on growth and stress response of rainbow trout (*Oncorhynchus mykiss*) under laboratory conditions. *Journal of Animal Physiology and Animal Nutrition* **95**: 1–5.

- Hicks, M. & Johnson, T. 2008. Compelling evidence of advancing aeration technology to support aquaculture, water and wastewater treatment. Aero-Tube™ News & Events. (www.coloriteaerationtubing.com).
- Hinshaw, J.M. 2000. Trout farming – Carry capacity and inventory management. *SRAC Publication* no. 222. 3 p.
- Hosler K.C. & Piggott, S. 2009a. Designing gravity-flow systems. *Hatchery international*. September/October.
- Hosler K.C. & Piggott, S. 2009b. The nuts and bolts of drum filter installation. *Hatchery international*. July/August pp. 38-39.
- Hosler, K.C. 2010. Get more out of your raceways with Low Head Oxygenators. *Hatchery international*. Mars/April pp. 30-31.
- Huggins, D.L., Piedrahita, R.H. & Rumsey, T. 2004. Analysis of sediment transport modeling using computational fluid dynamics (CFD) for aquaculture raceways. *Aquacultural Engineering* 31: 277-293
- Huggins, D.L., Piedrahita, R.H. & Rumsey, T. 2005. Use of computational fluid dynamics (CFD) for aquaculture raceway design to increase settling effectiveness. *Aquacultural Engineering* 33: 167-180.
- Höglund, E., Balm, P.H.M. & Winberg, S. 2002. Behavioral and neuroendocrine effects of environmental background colour and social interaction in arctic char (*Salvelinus alpinus*). *J. Experimental Biol.* 205: 2535-2543.
- Hydrotech 2008. Efficiency of Hydrotech microscreens for removal of fish waste from effluent water and in recirculating fish farms. *Hydrotech Newsletter* Jan/2008: 1-4.
- IPSFAD 2011a. Sustainable Freshwater Aquaculture Development in Canada. Third Industry Action Plan 2007/2010. Interprovincial Partnership for Sustainable Freshwater Aquaculture Development. 23 p.
- IPSFAD 2011b. Sustainable Freshwater Aquaculture Development in Canada. Fourth Industry Action Plan 2011/2015. Interprovincial Partnership for Sustainable Freshwater Aquaculture Development. 12 p.
- Ingvar Nielsson 1987. Varmadætur til lagareldis. *Eldisfréttir* 3(4): 49-53.
- Jakobsen, R., Evensen, T.H., Sæther, B.S., Isaksen, B., Humborstad, O.-B. & Midling, K.Ø. 2012. Automatisk telling, málning og veiing av levende torsk – vurdering av teknologi for godkjenning ved kjøp og salg. *Rapport/Report* 9/2012.
- Janning, K., Jørgensen, P.E., Klausen, M.M., Højgaard, B. & Thomson, U. 2008. Rens-Tek. Optimerede rensningsteknologier til forbedret drift af recirkulerede opdrætsanlæg. Dansk Akvakultur. *Rapport*. 97 s.
- Jobling, M., Jørgensen, E.H., Arnesen, A.M. & Ringø E. 1993. Feeding, growth and environmental requirements of Arctic charr: a review of aquaculture potential. *Aquaculture International* 1: 20-46.
- Jobling, M., Arnesen, A.M., Benfey, T., Carter, C., Hardy, R., Nathalie, R.L.F, O'keefe, R., Koskela, J. & Simon, G.L. 2010. The Salmonids (Family: Salmonidae). In, *Finfish Aquaculture Diversification* (Eds. Nathalie Le Francois, Malcolm Jobling, Chris Carter and Peirre Blier). MPG Book Group, U.K. pp. 241-247.
- Johnston, G. 2002. *Arctic Charr Aquaculture*. Blackwell Publishing. 272 p.
- Johnson, W. & Chen, S. 2006. Performance evaluation of radial/vertical flow clarification applied to recirculating aquaculture systems. *Aquacultural Engineering* 34(1): 47-55.
- Jokumsen, A. & Svendsen L.M. 2010. Farming of Freshwater Rainbow Trout in Denmark. *DTU Aqua-rapport* nr. 219-2010. 47 s.
- Jørgensen, E.H. & Jobling, M. 1990. Feeding modes in Arctic charr, *Salvelinus alpinus* L.: The importance of bottom feeding for the maintenance of growth. *Aquaculture* 86(4): 379-385.
- Jørgensen, T.R., Larsen, T.B. & Buchmann, K. 2009. Parasite infections in recirculated rainbow trout (*Oncorhynchus mykiss*) farms. *Aquaculture* 289: 91–94.
- Karakatsouli, N., Karakatsouli, S. E., Papoutsoglou, G., Panopoulos, E. S., Papoutsoglou Chadio, S. & Kalogiannis, D. 2008. Effects of light spectrum on growth and stress response of rainbow trout *Oncorhynchus mykiss* reared under recirculating system conditions. *Aquaculture Engineering* 38: 36–42.
- Kristján G. Sveinsson & Helgi Árnason 1986. Fiskeldisþræur úr forsteyptum einingum. *Verktækni* 3/3. Fréttablað Tæknifræðingafélags Íslands og Verkfræðingafélags Íslands. Bls. 10-11.
- Koren, C., Sæther, P.A., Nikolaisen, V., Myklebust, E., Østvik, A. & Jakobsen, K. 2011. Bedre fiskehelse i Nord-Norge. Prosjektrapport. FHL Nordnorsk havbrukslag. 43 s.
- Kumar, A., Moulick, S. & Mal, B.C. 2010. Performance evaluation of propeller-aspirator-pump aerator. *Aquacultural Engineering* 42(2): 70-74.
- Kötluvikur ehf. 2002. Vikurnám á Mýrdalssandi, Mýrdalshreppi. Mat á umhverfisáhrifum. www.mannvit.is
- Labatut, R.A., Ebeling, J.M., Bhaskaran, R. & Timmons, M.B. 2007a. Hydrodynamics of a Large-Scale Mixed-Cell Raceway (MCR): Experimental studies. *Aquacultural Engineering* 37: 132-143.
- Labatut, R.A., Ebeling, J.M., Bhaskaran, R. & Timmons, M.B. 2007b. Effects of inlet and outlet flow characteristics on Mixed-Cell Raceway (MCR) hydrodynamics. *Aquacultural Engineering* 37: 158-170.
- Lagardère, J.P., Mallekh R. & Mariani, A. 2004. Acoustic characteristics of two feeding modes used by brown trout (*Salmo trutta*), rainbow trout (*Oncorhynchus mykiss*) and turbot (*Scophthalmus maximus*). *Aquaculture* 240: 607–616.
- Landbø, T. 2011. Lukkede oppdrettstanker i betong. Foredrag på Tekmar konferansen, Britannia Hotel, 5.-6. desember 2011. (www.tekmar.no).
- Landssamband fiskeldisstöðva 2009. Staða fiskeldis á Íslandi, framtíðaráform og stefnumótun Landssambands fiskeldisstöðva í rannsókn- og þróunarstarfi 2010-2013. Gefið út af Landsambandi fiskeldisstöðva. 31 bls. (<http://lfh.is/documents/vefutgafaLoka.pdf>).
- Larmoyeux, J.D., Piper, R.G. & Chenoweth, H.H., 1973. Evaluation of circular tanks for salmonid production. *Prog. Fish-Cult.* 35: 122–131.
- Laursen, C.S., Andersen, C.M., Hansen, M.P.R. & Hansen, E.H. 2008. Energioptimalt design af Dambrug. ELFORSK projekt nr. 338-064. Undersøgelser i teori, forsøg og praksis. Teknologisk Institut Dansk Akvakultur. Lokalenergi 2008:1. 95 s.
- Lekang, O.-I. & Fjæra, S.O. 1995. Effect of light condition on voluntary fish transport. *Aquacultural Engineering* 14: 101-106.
- Lekang, O.-I., Fjæra, S.O. & Thomassen, J.M. 1996. Voluntary fish transport in land-based fish farms. *Aquacultural Engineering* 15: 13-25.
- Lekang, O.-I., Bergheim, A. & Dalen, H. 2000. An integrated wastewater treatment system for land-based fish-farming. *Aquacultural Engineering* 22: 199–211.
- Li, S., Willits, D.H., Browdy, C.L., Timmons, M.B. & Losordo, T.M. 2009. Thermal modeling of greenhouse aquaculture raceway systems. *Aquacultural Engineering* 41: 1–13.
- Lines, J.A. & Frost, A.R. 1999. Review of opportunities for low stress and selective control of fish. *Aquacultural Engineering* 20: 211-220.
- Losordo, T.M., Hobbs, A.O. & FeLong, D.P. 2000. The design and operational characteristics of the CP&L/EPRI fish barn: a demonstration of recirculating aquaculture technology. *Aquacultural Engineering* 22(1-2):3-16.

- Losordo, T.M., Masser, M.P. & Rakocy, J.E. 1999. Recirculating aquaculture tank production systems: A review of component options. Southern Regional Aquaculture Center Pub. SRAC-453.
- Loyless, J.C. & Malone, R.F. 1998. Evaluation on air-lift pump capabilities for delivery aeration and degasification for application to recirculating aquaculture systems. *Aquacultural Engineering* 18: 117-133.
- Lunger, A., Rasmussen, M.R., Laursen, J. & McLean, E. 2006. Fish stocking density impacts tank hydrodynamics. *Aquaculture* 254: 370-375.
- Lúðvík Bergvinsson, Bryndís Hlökkversdóttir, Katrín Júlíusdóttir, Kolbrún Halldórsdóttir, Sigurður Kári Kristjánsson, Stefán Bogi Sveinsson & Tryggvi Agnarsson 2008. Skýrsla Vatnalaganefndar ásamt ritgerðum, álitum og öðru efni sem nefndin hefur aflað. Iðnaðarráðuneytið. Sótt 10. desember 2012 á slóðinni: www.idnadarraduneyti.is/media/frettir/Skyrsla_Vatnalaganefndar.pdf
- Magnús Sigursteinsson 1990. Búnaður til bleikjueldis. Ráðuneytifundur 1990. Bls. 280-285.
- Maietta, D. 2011. Resin-infused cement top-coat restores aging raceways and ponds. *Hatchery International* January/February. pp. 25.
- Maillard, V.M., Boardman, G.D. Nyland, J.E. & Kuhn, D.D. 2005. Water quality and sludge characterization at raceway-system trout farms. *Aquacultural Engineering* 33: 271-284.
- Mann, D.D. & Garlinski, E.M. 2002. Design of a horizontal airflow biofilter. AIC Science: Process or product? Paper No. 02-611.
- Martins, C.I.M., Eding, E.H., Verdegem, M.C.J., Heinsbroek, L.T.N., Schneider, O. Blancheton, J.P., Roque d'Orbcastel, E. & Verreth, J.A.J. 2010. New developments in recirculating aquaculture systems in Europe: A perspective on environmental sustainability. *Aquacultural Engineering* 43: 83-93.
- Masaló, I. 2008. Hydrodynamic characeration of aquaculture tanks and design criteria from improving self-cleaning properties. Thesis presented as partial requirement to obtain the title of doctor (PH.D.) in Food and Agriculture Biotechnology and Sustainability of the Departement of Food and Agriculture Engineering and Biotechnology of Technical University of Catalonia. Castelldefels.
- Masaló, I., Reig, L. & Oca, J. 2008a. Study of fish swimming activity using Acoustical Doppler Velocime try (ADV) techniques. *Aquacultural Engineering* 38: 43-51
- Masaló, I., Guadayol, O., Peters, F. & Oca, J. 2008b. Analysis of sedimentation and resuspension processes of aquaculture biosolids using an oscillating grid. *Aquacultural Engineering* 38 (2): 135-144.
- Matthildur Ingólfssdóttir 2008. Endurnýtingarkerfi með lífhreinsi, áhrif bætibaktería. Lokaverkefni til B.Sc. prófs í líftækni. Háskólinn á Akureyri.
- McLean, E., Cotter, P., Thain, C. & King, N. 2008. Tank color impacts performance of cultured fish. *Ribarstvo* 66 (2): 43-54.
- McMillian, J.D., Wheaton, F.W., Hochheimer, J.N. & Soares, J. 2003. Pumping effect on particle size in a recirculating aquaculture system. *Aquacultural Engineering* 27: 53-59.
- Mercedes Isla Molleda 2008. Water quality in recirculating aquaculture systems (RAS) for Arctic charr (*Salvelinus alpinus* L.) culture. Final project in UNU-FTP training program. 48pp.
- Midling K.Ø., Mejdell C., Olsen S.H., Tobiassen T., Aas-Hansen Ø., Aas K., Harris S., Oppedal K. & Fremsteinevik Å. 2008. Slakting av oppdrettslaks på båt, direkte fra oppdrettsmerd. Nofirma, Rapport 6/2008. 60 s.
- Molleda, M.I. 2007. Water quality on recirculating aquaculture systems for Arctic charr (*Salvelinus alpinus* L.) culture. United Nations University - Fisheries Training Programme. 54 p.
- Mortensen, A. 2006. Egenskaper ved forskjellige typer oppdrettskar. *Norsk fiskeoppdrett* 31(10): 39-42.
- Mork, O.I. & Gulbrandsen, J. 1994. Vertical activity of 4 salmonid species in response to changes between darkness and 2 intensities of light. *Aquaculture* 127 (4): 317-328.
- Nielsen, R. 2010. Produktivetsanalyse af dansk dambrug. Fødevareøkonomisk Institut. 26 s.
- Norsk fiskeoppdrett 2011. Lukket oppdrettsanlegg i sjø. *Norsk fiskeoppdrett* 36(12a): 1-50.
- Newman, E.J., Stark, T.D., Rohe, F.P. & Diebel, P. 2004. Thirty year durability of a 20-mil PVC geomembrane. *Journal of vinyl & additive technology* 10(4):168-173.
- Norsk standard 2012. Landbasert akvakulturanlegg for fisk. Krav til risikoanalyse, prosjektering, utførelse, komponenter, byggefase, drift, brukerhåndbok og produktdatablad Norsk standard. prNS 9416.
- NRCS 2009. Fish raceway or tank. Code 398. Natural Resources Conservation Service. Conservation Practice Standard. 4 p.
- Næss, T. 1989. Dukbelagte jorddammer til settefiskproduksjon. Svanøy stiftelse. *Rapport* nr. 2. 19 s.
- Oca, J., Masaló, I. & Reig, L. 2004. Comparative analysis of flow patterns in aquaculture rectangular tanks with different water inlet characteristics. *Aquaculture Engineering* 31: 221-236.
- Oca J. & Masaló I. 2007. Design criteria for rotating flow cells in rectangular aquaculture tanks. *Aquaculture Engineering* 36: 36-44.
- Olsen, B.H. 2011. How Billund aquaculture has designed a RAS facility called „Landsand laks AS“ for yearly production of 1.000 tons 4-5 kg salmon. Workshop on Recirculating Aquaculture Systems, Helsinki, Finland, October 5-6, 2011.
- Ólafur I. Sigurgeirsson 2012. Um föður og föðrun. Óútgefið handrit.
- Oppedal, F., Dempster, T. & Stien, L. 2010. Environmental drivers of Atlantic salmon behaviour in sea-cages: a review. *Aquaculture* 311:1-18.
- Osland, A. m.fl. 2007. Smolttoffensiven 2007. Rapport fra arbeidsgrubben. Fiskeridirektoratet (36 sider + vedlegg).
- Ozkan, F., Ozturk, M. & Baylar, A. 2006. Experimental investigations of air and liquid injection by venturi tubes. *Water and Environment Journal* 20: 114-122.
- Parsonage, K.D. & Petrell, R.J. 2003. Accuracy of a machine-vision pellet detection system. *Aquacultural Engineering* 29: 109-123.
- Pedersen H.-P. 1997. Levendefiskteknologi for fiskefartøy. Doktor ingeniørvhandling, Institutt for marin prosjektering, Norges teknisk-naturvitenskapelige universitet. *MTA-rapport* 119. (ISBN 82-471-0142-4).
- Petersen, k.h. 2009. Luft er dyrt: Energi besparelsesmuligheder gennem optimering af belüftningsudstyr, fra kompressor til iltoverførsel i vandet., Siemens, Helsingør. (www.aquacircle.org/images/pdfdokumenter/temadag%20energi%20150609/6_Luft_dyr_KHP_Siemens.pdf).
- Petrell, R.J. & Ang, K.P. 2001. Effects of pellet contrast and light intensity on salmonid feeding behaviours. *Aquacultural Engineering* 25(3): 175-186.
- Petrell, R.J., Shi, X., Ward, R.K., Naiberg, A. & Savage, C.R. 1997. Determining fish size and swimming speed in cages and tanks using simple video techniques. *Aquacultural Engineering* 16: 63-84.
- Pickering, A.D., Griffiths, R. & Pottinger, T.G. 1987. Acomparision of the effects of overheadcover on the growth, survival and haematology of juvenile Atlantic salmon, *Salmo salar* L., brown trout, *Salmo trutta* L., and rainbow trout, *Salmo gairdneri* Richardson. *Aquaculture* 66(2): 109-124.
- Piggott, S.K. 2004. PVC encapsulated concrete tanks. *Hatchery International* May/june. P. 25 and 28.
- Piggott, S.K. 2008. Circular tanks or raceways? The pros and cons. *Hatchery International*. November/desember pp.36-37.

- Piggott, S.K. & Hosler, K.C. 2007. Noise: How much is too much. *Hatchery International*. May/June pp.41-42.
- Pillay, T.V.R. (ed.) 1984. Inland aquaculture engineering. - Lectures presented at the ADCP Inter-regional Training Course in Inland Aquaculture Engineering, Budapest, 6 June-3 September 1983. ADCP/REP/84/21. FAO, Rome, 591 p.
- Pinkiewicz, T.H., Purser, G.J. & Williams, R.N. 2011. A computer vision system to analyse the swimming behaviour of farmed fish in commercial aquaculture facilities: A case study using cage-held Atlantic salmon. *Aquacultural Engineering* 45: 20-27.
- Piper, R.G. o.fl. 1982. Fish hatchery management. United States Department of the Interior Fish and Wildlife Service. Washington, D.C. 517 p.
- Piper, R.G., McElwain, I.B., Orme, L.E., McCraren, J.P., Fowler, L.G. & Leonard, J.R., 1982. Fish Hatchery Management. US Fish and Wildlife Service, Washington, DC. 517 pp.
- Plesner, I.J., Andersen, C.M., Nielsen, P., Andreasen, A., Skov, P.V., Hansen, M.P.R., Hansen, E.H. & Michelsen, K. 2011. Energieffektivitet i recirkulerede Akvakulturanlæg. Beluftning, gasovermætning, riste, diffusorer og indpumpning. Faglig rapport fra Dansk Akvakultur nr. 2011-1. 69 s.
- Race, I. 2005. Grading around the hatchery. *Hatchery International* jan/feb. pp. 22-23.
- Race, I. 2006. Moving fish around the hatchery. *Hatchery International* nov./des. pp. 27-28.
- Ragnar Jóhannsson 2006. Kennsluhefti í vatnsfræði. Hólaskóli. Hólum í Hjaltadal. 61 bls. (<http://www.sjavarutvegur.is/fisk/pdf/vatnsfraedi.pdf>).
- Ragnar Jóhannsson, Helgi Thorarensen & Ólafur Ögmundarson 2010. Betri nýting vatns í bleikjueldi. *Skýrsla Matis* 26-10.
- Rannsóknarráð ríkisins 1992. Fiskeldi og sjávarbúskapur. Rannsóknarráð ríkisins. *RIT* 1992:1. 139 bls.
- Rasmussen, M. R., Laursen, J., Craig, S. R. & McLean, E. 2005. Do fish enhance tank mixing? *Aquaculture* 250: 162-174.
- Reid, G.K., Liutkurs, M., Robinson, S.M.C., Chopin, T.R., Blair, T., Lander, T., Mullen, J., Page, F. & Moccia, R.D. 2008. A review of the biophysical properties of salmonids faeces: implications for aquaculture waste dispersal models and integrated multi-trophic aquaculture. *Aquaculture research* 40(3): 257-273.
- Rikardsen, A.H., Amundsen, P.-A., Björn, P.A. & Johansen, M. 2000. Comparison of growth, diet and food consumption of sea-run and lake-dwelling Arctic charr. *Journal of Fish Biology* 57: 1172-1188.
- Roach, S.W., Claggett, F.G. & Harrison, S.M. 1964. An air-lift pump for elevating salmon, herring and other fish of similar size. *Journal of Fisheries Research Board Canada* 21(4): 845-849.
- Rosenthal, H. & Murray, K.R. 1989. System design and water quality criteria. pp. 473-491. In, Realism in aquaculture: Achievements, constraints, perspectives. European Aquaculture Society.
- Ross, R. M., Watten, B. J., Krise, W. F. & DiLauro, M. N. 1995. Influence of tank design and hydraulic loading on the behaviour, growth, and metabolism of rainbow trout (*Oncorhynchus mykiss*). *Aquaculture Engineering* 14: 29-47
- Ross, R. M. & Watten, B. J. 1998. Importance of rearing-unit design and stocking density to the behaviour, growth and metabolism of lake trout (*Salvelinus namaycush*). *Aquacultural Engineering* 19: 41-56.
- Rosten, T.W., Ulgenes, Y., Henriksen, K., Terjesen, B.F., Biering, E. & Winther, U. 2011. Oppdrett av laks og ørret i lukkede anlegg – forprosjekt. Utredning for Fiskeri og havbruksnærings forskningsfond (FHF). SINTEF Fiskeri og havbruk AS. Rapportnr. A21169. 74 s.
- Roth, B., Grimsbø, E., Slinde, E., Foss, A., Stien, L.H. & Nortvedt, R. 2012. Crowding, pumping and stunning of Atlantic salmon, the subsequent effect on pH and rigor mortis. *Aquaculture* 326-329: 178-180.
- Roux, P., Conti, S., Demer, D. & Maurer, B. D. 2005. Acoustic Method for Fish Counting and Fish Sizing in Tanks. Research Final Reports, California Sea Grant College Program, UC San Diego. 20 p.
- Schei, I. & Skybakmoen, S. 1998. Control of water quality and growth performance by solids removal and hydraulic control in rearing tanks. Cekikkale, M.S., Duzgunes, E., Okumus, J. & Mutlu, C. (editors). The Proceedings of the First International Symposium on Fisheries and Ecology. pp.231-241
- Senn, H., Mack, J. & Rothfus, L. 1984. Compendium of low-cost Pacific salmon and steelhead trout production facilities and practices in the Pacific Northwest. U.S. Department of Energy. Bonneville Power Administration, Division of Fish and Wildlife. Portland, Oregon. 488 p.
- Senstad, C. 1986. Kar- og damtyper. *Norsk fiskeoppdrett* 11(3): 30-32, 20.
- Sharma, K.K., Sarkar, B. Chand, S. & Nayak, S.K. 2009. A mechanized harvest system for freshwater fishpond. *Aquacultural Engineering* 41: 147-151
- Sharrer, M., Rishel, L., Taylor, A., Vinci, B.J. & Summerfelt, S.T. 2010. The cost and effectiveness of solids thickening technologies for treating backwash and recovering nutrients from intensive aquaculture systems. *Bioresource Technology* 101: 6630-6641.
- Shei, I. & Fosseng, A. 2008. Sluttrapport – Industriell forsknings- og utviklingskontrakt. Partikkelfjerning og slamavvanning av utløp fra settefiskanlegg. AquaOptima AS. http://www.aquaoptima.com/images/stories/pdf/ifu_rapport08.pdf
- Shinn A.P., Picon-Camacho S.M., Bawden R. & Taylor N.G.H. 2009. Mechanical control of *Ichthyophthirius multifiliis* Fouquet, 1876 (Ciliophora) in a rainbow trout hatchery. *Aquacultural Engineering* 41: 152-157.
- Sigurður St. Helgason 1982. Strandkvíaelði. *Freyr* 78(2): 52-56.
- Sigríður Guðmundsdóttir o.fl. 2010. Nýrnaveiki í laxfiskum: greining sýkingar og framvinda sjúkdómsins. Lokaskýrsla til AVS rannsóknasjóðs í sjávarútvegi. 46 bls.
- Sigurðir Bjarnason 1989. Val á lagnaðarefni. *Lagnaðarfréttir* 4(2): 51-54.
- Sigurðir Bjarnason 2011. Uppsetning og frágangur á lögnum. Verkefnið „Aukin samkeppnishæfni bleikjueldis í landeðisstöðvum“. Erindi á vinnufundi á Hótel Hlíð 15.-16. desember 2011.
- Siikavuopio, S.I., Skybakmoen, S. & Sæther, B.-S. 2009. Comparative growth study of wild- and hatchery-produced Arctic charr (*Salvelinus alpinus* L.) in a coldwater recirculation system. *Aquaculture Engineering* 41: 122-126.
- Sindilariu, P.-F. 2007. Reduction in effluent nutrient loads from flow-through facilities from trout production: a review. *Aquaculture Research* 38: 1005-1036.
- Skretting 2005. Fóringsstrategier i lakseoppdrett. [www.skretting.no/internet/SkrettingNorway/webInternet.nsf/wprId/985F139670183E5BC125740C0029C44A!](http://www.skretting.no/internet/SkrettingNorway/webInternet.nsf/wprId/985F139670183E5BC125740C0029C44A!OpenDocument)
- Skretting 2009a. Effektiv føring. *Føring i dybden* 2009: 27-35.
- Skretting 2009b. Biomassekontroll. *Føring i dybden* 2009: 15-19.
- Skretting 2009c. Kontroll av fôringsanlegg. *Føring i dybden* 2009: 11-13.
- Skúli Skúlason o.fl. 1995. Land-based fish farm. Project 2: Supervision of farming operations. Iðntæknistofnun. Final report. 65 p.
- Skybakmoen, S. 1991. Kar og karmiljø. *Temahefte* nr. 2 om

- fiskeoppdrett. AGA. 14 s.
- Skybakmoen, S. 1988. Miljøkvalitet i oppdrettsenheter. Landbasert oppdrettsanlegg og lukkede sjøanlegg, status, erfaringer og utviklingstrender. Sheraton hotel 9.-10. mars 1988. Norges ingeniørorganisasjon. 36 s.
- Skybakmoen, S. 1989. Impact of water hydraulics on water quality in fish rearing units. In: Conference 3—Water Treatment and Quality, Proc. of AquaNor 89, 11–16 August 1989. AquaNor, Trondheim, Norway, pp. 17–21.
- Skov, P.V., Henriksen, N.H., Andreassen, A. & Clausen, T. 2011. Optimering af driften på etablerede modeldambrug og fortsat videreudvikling af recirkuleringsteknologien. Rapport for arbejdsplan 3b. Undersøge graden af gasovermætning samt evaluere betydningen. Dansk akvakultur.
- Sparboe, L.O., Seiring, J. & Skog, S. 2010. Sikring av landbaserte akvakulturanlegg mot rømming. Forslag til manual. *Akvaplan-niva rapport* nr 4816. 33 s.
- Snorri Gunnarsson, Albert K. Imsland, Jón Árnason, Arnþór Gústavsson, Ingólfur Arnarson, Jón K. Jónsson, Foss, A., Stefansson, S. & Helgi Thorarensen 2011. Effect of rearing temperatures on the growth and maturation of Arctic charr (*Salvelinus alpinus*) during juvenile and on-growing periods. *Aquaculture Research* 42: 221-229.
- Soderberg, R.W. 1982. Aeration of water supplies for fish culture in flowing water. *Prog. Fish-Cult.* 44(2): 89-93.
- Solbakken, J., Hesjevik, J.I., Liltved, H., Ragnar Jóhannsson, Windmar, L. & Vogelsang, C. 2005. Beste tilgjengelige teknikker for fiskeoppdrett i Norden. *TemaNord* 2005:528. 143 s.
- Stechey, D., Albright, L., Foss, D., Gilbert, É., Lareau, S., Maheu, J., McNaughton, M., Meeker, M. & Robertson, W.D. 2011. Status og outlook for freshwater aquaculture in Canada: Regional perspectives. *AAC Spec. Publ.* 13: 70-76.
- Stechey, D., Eastman, J., Robinson, C. & Vandenberg, G. 2011b. The Manitoba – Canadian Model Aqua-Farm Initiative. Aquaculture Innovation Workshop September 26-27, 2011 Campbell River, BC Interprovincial Partnership for Sustainable Freshwater Aquaculture Development. (http://tidscanada.org/wp-content/uploads/files/salmon/workshop-sept-2011/Dan_Stechey_-_The_Canadian_Model_Farm_Initiative.pdf).
- Stefansson, S.O. & Hansen, T. 1989. Effects of tank colour on froeth and smoltification of Atlantic salmon (*Salmo salar* L.). *Aquaculture* 81: 379-386.
- Stien, L.H., Brafland, S., Austevoll, I., Oppedala, F. & Kristiansen, T.S. 2007. A video analysis procedure for assessing vertical fish distribution in aquaculture tanks. *Aquacultural Engineering* 37: 115-124.
- Stoss, J. 2011. Oppdrett av piggvar i Norge og Sør-Europa. Nettverksmøte "Sats på Torsk" 9.-10. februar, 2011, Bergen.
- Summerfelt, S. T. 2002. Final Project Report for USDA/ARS Grant No. 59-1930-8-038, Technologies, Procedures, and Economics of Cold-Water Fish Production and Effluent Treatment in Intensive Recycling Systems. The Conservation Fund's Freshwater Institute, Shepherdstown, WV, 136 p.
- Summerfelt, S.T. 2011. Containment systems for Biosecurity, Escapes, Alien species and other Environmental Factors. AquaNor Forum. Trondheim, Norway: The Conservation Fund.
- Summerfelt, S.T., Timmons, M.B. & Watten, B.J. 2000a. Tank and raceway culture. pp. 921-928. In, Stickney, R.R. (eds.) Encyclopedia of aquaculture. John Wiley & Sons Inc.
- Summerfelt, S.T., Davidson, J., Waldrop, T. & Tsukuda, S. 2000b. A partial-reuse system for coldwater aquaculture. In, Libey, G.S., & Timmons, M.B. (Eds.), Presented at the Third International Conference on Recirculating Aquaculture, Virginia Polytechnic Institute and State University, Blacksburg, pp. 167–175.
- Summerfelt, S.T., Vinci, B.J. & Piedrahita, R.H. 2000c. Oxygenation and carbon dioxide control in water reuse systems. *Aquacultural Engineering* 22: 87–108.
- Summerfelt, S. T., Davidson, J. T., Waldrop, T., & Vinci, B. J. 2003. Evaluation of full-scale carbon dioxide stripping columns in a coldwater recirculating system. *Aquacultural Engineering* 28: 155-169.
- Summerfelt, S.T., Davidson, J., Waldrop, T., Tsukuda, S. & Bebak-Williams, J. 2004a. A Partial-Reuse System for Coldwater Aquaculture. *Aquacultural Engineering* 31: 157-181.
- Summerfelt, S. T., Wilton, G., Roberts, D., Savage, T. M. & Fonkalsrud, K. 2004b. Developments in recirculating systems for Arctic char culture in North America. *Aquacultural Engineering* 30: 31-71.
- Summerfelt, S.T., Davidson, J., Wilson, G. & Waldrop, T. 2009. Advances in fish harvest technologies for circular tanks. *Aquacultural Engineering* 40: 62-71.
- Summerfelt, S., Schiro, D. & Pfeiffer, T. 2009. Sidewall-Box Airlift Pump Provides Large Flows for Aeration, CO₂ Stripping, and Water Rotation in Dual-Drain Circular Tanks. Aquaculture Forum (<http://aquaculture.ext.wvu.edu/forums>).
- Sunde, L. M., Heide, M.A., Hagen, N., Fredheim, A., Forås, E. & Prestvik, Ø. 2003. Teknologistatus i havbruk. SINTEF Fiskeri og havbruk AS. *Rapportnr.* STF80 A034002. 82 s.
- Sveinbjörn Oddsson & Trausti Steindórsson 2009. Staða bleikjueldis og framtíðarhorfur. Unnið fyrir Sjávarútvegs- og landbúnaðarráðuneytið. 89 bls.
- Sveinbjörn Oddsson, Birgir Þórisson & Jóhann Geirsson 2011. Getur bleikjueldi lært af regnbogasilungsemi í Evrópu? *Sjávarútvegurinn – Vefrit um sjávarútvegsmál* 11(1): 1-16.
- Svendsen, L.M., Sortkjær, O., Ovesen, N.B., Skiver, J., Larsen, S.E., Bouttrup, S., Pedersen, P.B., Rasmussen, R.S., Falsgaard, A.J. & Suhr, K. 2008. Modeldambrug undir forsøgsordningen. Faglig slutrapport for "Måle- og dokumentationsprojekt for modeldambrug. DTU Aqua-raport nr. 193-08. 222 s.
- Sørensen, M., He, G., Oehme, M., Åsgård, T.E., Storebakken, T. & Aas, T.S. 2008. Feed pellet durability in pneumatic conveying systems for fish farming *Rapport/Report* 11/2008. 28 s.
- Teknologirådet 2012. Fremtidens lakseoppdrett. *Rapport* 01: 1-83.
- Theis, G.L. 1977. Water-powered fish-crowding screen and raceway cleaner. *The Progressive fish-culturist* 39(2): 86-87.
- Theodór Kristjánsson 2004. Endurnýting á vatni í bleikjueldi. M.S. verkefni við Líffræðiskor Háskóla Íslands. 94 bls.
- Teitur Arnlaugsson o.fl. 1995. Land-based fish farm. Project 3 & 4: Fish density/temperature/energy. Iðntæknistofnun. Final report. 50 p.
- Tilskipun 2000. Tilskipun Evrópuþingsins og ráðsins 2000/60/EB frá 23. október 2000 um aðgerðaramma Bandalagsins um stefnu í vatnsmálum.
- Timmons, M.B., Summerfelds, S.T. & Vinci, B.J. 1998. Review of circular tank technology and management. *Aquacultural Engineering* 18: 51–69.
- Timmons, M.B., Vinci, B.J., Devenport, M.T. & Crum, M.K. 2001. A mathematical model of low-head oxygenators. *Aquacultural Engineering* 24: 257-277.
- Timmons, M.B. & Ebeling, J.M. 2007. Recirculation Aquaculture. Cayuga Aqua Ventures, LLC. 975 p.
- Timmons, M.B., Ebeling, J.M., Wheaton, F.W., Summerfelt, S.T., & Vinci, B.J. 2002. Recirculating aquaculture systems, 2nd edition. Northeast Regional Aquaculture Center. *NRAC Publication* No. 01-002. 769 p.
- Thlusty, M.F., Andrew, J., Baldwin, K. & Bradley, T.M. 2008. Acoustic conditioning for recall/recapture of escaped Atlantic salmon and rainbow trout. *Aquaculture* 274: 57–64.

- True, B., Johnson, W. & Chen, S. 2004a. Reducing phosphorus discharge from flow-through aquaculture I: facility and effluent characterization. *Aquacultural Engineering* 32: 129-144.
- True, B., Johnson, W. & Chen, S. 2004b. Reducing phosphorous discharge from flow-through aquaculture: II: Hinged and moving baffles to improve waste transport. *Aquacultural Engineering* 32: 145-160.
- Tvinnereim, K. 1988. Design of water inlets for closed fish farms. In: Proceedings of the Conference: Aquaculture Engineering: Technologies for the Future. Sterling, Scotland. IchemE Symposium Series 111, EFCE Publication Series 66, Rugby, UK, pp. 241-249.
- Tvinnereim, K. & Skybakmoen, S. 1985. Selvrensing I kar for settefisk og matfisk. *Norsk fiskeoppdrett* nr. 12:26-27.
- Tvinnereim, K. & Skybakmoen, S. 1987. Sønningsforhold I oppdrettskar for settefisk. *Norsk fiskeoppdrett* nr. 3: 42-43.
- Tvinnereim, K. & Skybakmoen, S. 1989. Water exchange and self-cleaning in fish rearing tanks. In, De Pauw, N., Jaspers, E., Ackefors, H., Wilkens, N. (Eds.), *Aquaculture: A Biotechnology in Progress*. European Aquaculture Society, Bredena, Belgium, pp. 1041-1047.
- Tvinnereim, K. 1989. Partikkeltransport I kar og renner. *Norsk fiskeoppdrett* nr. 6: 52-53.
- Twarowska, J.G., Westerman, P.W. & Losordo, T.M. 1997. Water treatment and waste characterization evaluation of an intensive recirculating fish production system. *Aquacultural Engineering* 16: 133-147.
- Ulgens, Y. 1992. Reduksjon av forurensing fra lukkede anlegg. *Norsk fiskeoppdrett* 17(1A):14-15.
- Umhverfisstofnun 2012. Drög að stöðuskýrslu fyrir vatnasvæði Íslands til kynningar. Bráðabirgðayfirlit um mikilvæg atriði í vatnaáætlun, fyrsta skrefið í gerð vatnaáætlunar. Umhverfisstofnun. 72 bls.
- Utting, S. 2005. Development and testing of in-tank grading systems for cod juveniles. Seafish Industry Authority.
- Valdimar Ingi Gunnarsson 1988a. Vatns- og súrefnisnotkun í laxeldi. *Eldisfréttir* 4(3): 19-22.
- Valdimar Ingi Gunnarsson 1988b. Vatns- og rýmisþörf í fiskeldi. *Eldisfréttir* 4(4):17-20.
- Valdimar Ingi Gunnarsson 1988c. Strandeldi á Íslandi - Líffræðilegar forsendur og arðsemi laxeldis. *Sjávarfréttir* 16 (2):45-53.
- Valdimar Ingi Gunnarsson 1991a. Eldi á laxi í strandeldisstöðvum. Kennsluhandrit. Hólaskóli, Hólum í Hjaltadal. 38 bls. (<http://www.sjavarutvegur.is/pdf/Annað/strandeldi.pdf>).
- Valdimar Ingi Gunnarsson 1991b. Loftun og súrefnisbæting. Kennsluhandrit. Hólaskóli, Hólum í Hjaltadal. 26 bls.
- Valdimar Ingi Gunnarsson 1991c. Vatns- og súrefnisnotkun í laxeldi. Kennsluhandrit. Hólaskóli, Hólum í Hjaltadal. 23 bls.
- Valdimar Ingi Gunnarsson 1991d. Bleikja á Íslandi. Ráðstefna á á Hólum í Hjaltadal 16.-18 maí 1991. Hólaskóli. 113 bls.
- Valdimar Ingi Gunnarsson 2006. Staða bleikjueldis á Íslandi, samkeppnishæfni og stefnumótun rannsókna og þróunarstarfs. *Sjávarútvegurinn – Vefrit um sjávarútvegsmál* 6(2): 1-62.
- Valdimar Ingi Gunnarsson & Guðni Guðbergsson 1988. Bleikja eldisfiskur með framtíð ? *Eldisfréttir* 4(7):5-20.
- Valdimar Ingi Gunnarsson, Kristján Lilliendahl & Björn Björnsson 2012. Skarfar og sjókvældi. *Hafrannsóknir* 161: 65-79.
- Vandenberg, G.W., Stechey, D. & Gilbert, É. 2001. An innovative approach to sustainable freshwater aquaculture development in Canada: The Inter-provincial Partnership. *AAC Spec. Publ.* 13:51-61.
- Veerapen, J.P., Lowry, B.J. & Couturier, M.F. 2003. Solids removal in recirculating aquaculture systems—modeling and experiments. *Aquaculture Association of Canada Spec. Publ. Number* 6:81-83.
- Veerapen, J.P., Lowry, B.J. & Couturier, M.F. 2005. Design methodology for the swirl separator. *Aquaculture Engineering* 33: 21-45.
- Viadero, R.C., Rumberg, A., Gray, D.D., Tierney, A.E. & Semmens, K.J. 2006. Acoustic Doppler Velocimetry in aquaculture research: Raceway and quiescent zone hydrodynamics. *Aquacultural Engineering* 34: 16-25.
- Vinatea, L. & Carvalho, J.W. 2007. Review: Influence of water salinity on the SOTR of paddlewheel and propeller-aspirator-pump aerators, its relation to the number of aerators per hectare and electricity costs. *Aquacultural Engineering* 37(2): 73-78.
- Vinci, B.J., Summerfelt, S.T., Piedrahita, R.H., Watten, B.J. & Timmons, B.T. 2011. Carbon dioxide stripping: -Fundamentals - Computer Design Model. Recirculating Aquaculture Systems Short Course. <http://ag.arizona.edu/azaqua/ista/ISTA7/RecircWorkshop/Workshop%20PP%20%20%20Misc%20Papers%20Adobe%202006/8%20Gas%20Transfer/Degassing/CO2%20Control.pdf>
- Wagner, E.J., Bosakowski, T. & Miller, S. A. 1995. Evaluation of the absorption efficiency of the Low Head Oxygenation Systems. *Aquacultural Engineering* 14: 49-57.
- Waller, U. 2001. Tank culture and recirculating systems. pp. 99 – 127. In, Black, K.D. (eds.). *Environmental impacts of aquaculture*. Sheffield Academic Press.
- Watten, B. J. & Beck, L. T. 1987. Comparative hydraulics of rectangular cross-flow rearing unit. *Aquaculture Engineering* 6: 127-140
- Watten, B. J. & Johnson, R. P. 1990. Comparative hydraulics and rearing trial performance of a production scale cross-flow rearing unit. *Aquacultural Engineering* 9: 245-266.
- Watten, B. J., Honeyfield, D. C. & Schwartz, M. F. 2000. Hydraulic characteristics of a rectangular mixed-cell rearing unit. *Aquacultural Engineering* 24: 59-73
- Westers, H. 2004. Intensive fish production: Design, operation and carry capacity of raceway (plug-flow) and round tank (circulating) fish rearing units. *Resources Technical Report*. 94-4.
- Wheaton, F.W. 1977. *Aquacultural Engineering*. Krieger, Malabar, FL, 708 pp.
- Winter o.fl. 2010. En mulighetsstudie for økt vekst innen innlandsoppdrett. Sintef Fiskeri og havbruk. SFH80-A106041. 129 s.
- VKM 2012. Risk Assessment of Recirculation Systems in Salmonid Hatcheries. The Norwegian Scientific Committee for Food Safety (Vitenskapskomiteen for mattrygghet, VKM). ISBN: 978-82-8259-048-8. 110 s.
- Wong, K. B. & Piedrahita, R. H. 2000. Settling velocity characterization of aquacultural solids. *Aquacultural Engineering* 21: 233-246.
- Wong, K. B. & Piedrahita, R. H. 2003a. Solids removal from aquacultural raceways. *World aquaculture* p. 60-67.
- Wong, K. B. & Piedrahita, R. H. 2003b. Prototype testing of the appartenance for settleable solids in-raceway separation (ASSISST). *Aquacultural Engineering* 27: 273-293.
- Wright, A.S. & Arianpoo, N. 2010. Technologies for Viable Salmon Aquaculture. An Examination of Land-Based Closed Containment Aquaculture. Submitted to the SOS Solutions Advisory Committee, established to provide advice to The SOS Marine Conservation Foundation's Save Our Salmon Initiative. 47 p.
- Wysocki, L.E., Davidson, J., Smith, M.E., Frankel, A.S., Ellison, W.T., Mazik, P., Popper, A.N. & Bebak, J. 2007. Effects of aquaculture production noise on hearing, growth, and disease resistance of rainbow trout *Oncorhynchus mykiss*. *Aquaculture* 272: 687-697.

- Yeo, S.E., Binkowski, P. & Morris, J.E. 2004. Aquaculture effluents and waste by-products. Characteristics, potential recovery, and beneficial reuse. NCRAC Publications Office. North Central Regional Aquaculture Centre.
- Zion, B. & Barki, A. 2012. Review: Ranching fish using acoustic conditioning: Has it reached a dead end? *Aquaculture* 344-349: 3-11.

- Þuríður Pétursdóttir & Emma Eypórsdóttir 1993b. Áhrif mismunandi hitastigs á vöxt og kynþroska bleikju. *Eldisfréttir* 9 (1): 41-44.
- Þórey Hilmarsdóttir 1989. Notkun súrefnisauðgaðs vatns í laxaseiðaeldi. *Veiðimálastofnun*. VMST/89028.
- Øiestad, V. 1999. Shallow raceways as a compact, resource-maximizing farming procedure for marine fish species. *Aquaculture research* 30: 831- 840.



size matters

Competitive advantage comes from reliable knowledge. Knowing exactly the size and number of your fish means you can make the right decisions about feeding, harvesting and delivery.

Biomass Daily – The fish measuring system giving accurate size every day.

www.vaki.is

 VAKI